



3-23-01

03C0

Express Mail No.: EL 650 626 686 US

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Application of: Peter Stangel

Serial No.: 09/772,394

Group Art Unit: 2166

Filed: January 30, 2001

Examiner: Not Yet Assigned

For: UMSource Software

Attorney Docket No.: MG-001-US

**TRANSMITTAL LETTER**

Assistant Commissioner for Patents  
Washington, DC 20231

Sir:

Transmitted herewith are the following documents:

- (1) Response to Notice to File Corrected Application Papers;
- (2) Notice to File Corrected Application Papers; and
- (3) Thirteen sheets (Figs. 1-6) of drawings.

Respectfully submitted,

Date: March 21, 2001

By:  46,194  
(Reg. No.)

Skadden, Arps, Slate, Meagher & Flom LLP  
Attorneys for Applicant  
4 Times Square  
New York, NY 10036  
(212) 735-2633

**Enclosure**



#3

**UNITED STATES PATENT AND TRADEMARK OFFICE**

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/772,394	01/30/2001	Peter Stangel	MG-001-US

**CONFIRMATION NO. 1200**

**FORMALITIES LETTER**



\*OC000000005852008\*

Guy Perry  
SKADDEN, ARPS, SLATE, MEAGHER & FLOM LLP  
Four Times Square  
New York, NY 10036

Date Mailed: 03/12/2001

**NOTICE TO FILE CORRECTED APPLICATION PAPERS**

***Filing Date Granted***

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application Serial No.: 09/772,394

Filed: January 30, 2001

Of: Peter Stangel

Entitled: UMSource Software

Attorney Docket No.: MG-001-US




CERTIFICATE OF MAILING UNDER 37 CFR § 1.10  
"Express Mail" Mailing Label Number

EL 650 626 686 US

Date of Deposit: March 21, 2001

I hereby certify that this paper and all enclosures referred to therein are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR § 1.10 on the date indicated above with sufficient postage in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231

Name of Person Mailing: Josephine Hardy

Signature of Person Mailing

**RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS  
SUBSTITUTE DRAWINGS IN COMPLIANCE WITH 37 C.F.R. §1.84**

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

In response to the Notice to File Corrected Application Papers dated March 12, 2001 in the above-identified application, enclosed are thirteen (13) sheets of substitute drawings (Figs. 1-6) which comply with the margin requirements of CFR 1.84.

No fee is believed to be due for this submission. However, if there is a fee, the Commissioner is authorized to charge any such fee required for this Response to Skadden, Arps, Slate, Meagher & Flom LLP Deposit Account No. 19-2385.

Respectfully submitted,

Date: March 21, 2001

By:  46,194  
Guy Perry (Reg. No.)

Skadden, Arps, Slate, Meagher & Flom LLP  
Attorneys for Applicant  
4 Times Square  
New York, NY 10036  
(212) 735-2633

Enclosure